

# DIRECTIONS SHEET

# FRESH-P®

## How to use:

CROP	SOIL APPLICATION	NOTES (SOIL)	FOLIAR APPLICATIONS	GROWTH STAGE	NOTES (FOLIAR)
<b>Tobacco</b>	20-30L per ha at 4% dilution	At base of plant 2 weeks after planting or with first Nitrogen application	2-4L per ha @ 2-3% dilution	At 2 and 4 weeks after planting	Avoid hot, windy weather
<b>Tobacco &amp; Other Seedlings</b>	2ml per square meter at planting and at replanting	Drench with a 2.5% dilution (250ml in a 30L watering can)	4-7L per ha diluted 1:150 water (500ml in a 20-30L watering can)	At germination and 2 and 4 weeks after planting	Avoid hot, windy weather
<b>Soya &amp; Other Legumes</b>	15-30L per ha	At planting, and/or split via irrigation, spray rig or dribble on the row	4-7L per ha diluted 1:150 water (500ml in a 20-30L watering can)	At the 3 leaf stage	Avoid hot, windy weather
<b>Maize &amp; Wheat</b>	15-30L per ha	At planting, and/or split via irrigation, spray rig or dribble on the row	4-7L per ha diluted 1:150 water (500ml in a 20-30L watering can)	At the 3 - 5 leaves stage	Avoid hot, windy weather
<b>Potatoes</b>	20-40L per ha (use 40L under high pH conditions)	At planting, and/or split via irrigation, spray rig or dribble on the row	4-7L per ha diluted 1:150 water (500ml in a 20-30L watering can)	At germination and 2 and 4 weeks later	Avoid hot, windy weather
<b>Sub-Tropical Crops (Avos, Macadamias, etc)</b>	15-30L per ha split thrice during post- harvest, spring and after fruit set	Via irrigation or spray rig or dribble on the row	5-10L per ha diluted 1:200 water	During the flush before flowering, and after fruit set	Avoid hot, windy weather
<b>Citrus</b>	15-30L per ha split twice before flowering and after fruit set	Via irrigation or spray rig or dribble on the row	5-10L per ha diluted 1:200 water	Before flowering	Avoid hot, windy weather
<b>Deciduous Fruits &amp; Nuts</b>	15-30L per ha split thrice during post- harvest, spring and after fruit set	Via irrigation or spray rig or dribble on the row	5-10L per ha diluted 1:200 water	During the flush before flowering, and after fruit set	Avoid hot, windy weather
<b>Tomatoes &amp; Vegetables</b>	15-40L per ha	At planting, and/or split via irrigation, spray rig or dribble on the row	2-4L per ha @ 2.5% dilution (250ml in a 20-30L watering can)	At 2 and 4 weeks after planting out and after stress or harvesting	Avoid hot, windy weather

### PRECAUTIONS:

The spray from this product may act as an irritant. Users are encouraged to seek further advice. Wear appropriate protective clothing.

### DIRECTIONS FOR USE:

Use when recommended. Apply recommended rates, do not exceed use. Seek further advice.

### MIXING INSTRUCTIONS:

Half fill tank with water. Add the required amount of Fresh P. Add wetting agent as recommended by manufacturer. Fill the remainder of tank with water, maintain agitation.

### COMPATIBILITY:

Follow all labels carefully. This product may be compatible with other agrochemicals. Seek advice before mixing.

### STORAGE:

Store in a cool, dry area. Protect from heat and cold extremes. Keep out of reach of children and animals.

### DISCLAIMER:

*The registration holder disclaims any responsibility or liability relating to the use of the products and recommendations. Under no circumstances whatsoever, will the registration holder be liable for any special, incidental or consequential damages which may arise from such use. The use of the product implies that the purchaser accepts these conditions.*